

Author Index

Volume 78 (1997)

- Arikati, S.R., A. Maheshwari and C.D. Zaroliagis, Efficient computation of implicit representations of sparse graphs (1–3) 1–16
- Barnes, T.M. and C.D. Savage, Efficient generation of graphical partitions (1–3) 17–26
- Berman, K.A. and Y. Liu, Generalized bicycles (1–3) 27–40
- Chang, G.J., see J.-H. Yan (1–3) 227–233
- Chang, M.-S. and C.-C. Hsu, On minimum intersection of two minimum dominating sets of interval graphs (1–3) 41–50
- Du, D.Z., see P. Fishburn (1–3) 75–87
- Du, D.-Z., B. Gao and W. Wu, A special case for subset interconnection designs (1–3) 51–60
- Fàbrega, J. and M. Zaragoza, Fault-tolerant routings in double fixed-step networks (1–3) 61–74
- Fang, S.-C., see M. Natu (1–3) 207–226
- Fishburn, P., F.K. Hwang, D.Z. Du and B. Gao, On 1-rate wide-sense nonblocking for 3-stage Clos networks (1–3) 75–87
- Gao, B., see P. Fishburn (1–3) 75–87
- Gao, B., see D.-Z. Du (1–3) 51–60
- Hansen, P., G. Storch and T. Vovor, Paths with minimum range and ratio of arc lengths (1–3) 89–102
- Hasunuma, T. and Y. Shibata, Embedding de Bruijn, Kautz and shuffle-exchange networks in books (1–3) 103–116
- Hayward, R.B., Meyniel weakly triangulated graphs II: A theorem of Dirac (1–3) 283–289
- Hedetniemi, S.M., see J.-H. Yan (1–3) 227–233
- Hedetniemi, S.T., see J.-H. Yan (1–3) 227–233
- Ho, K.I.-J., J.Y.-T. Leung and W.-D. Wei, Scheduling imprecise computation tasks with 0/1-constraint (1–3) 117–132
- Hsu, C.-C., see M.-S. Chang (1–3) 41–50
- Hwang, F.K., see P. Fishburn (1–3) 75–87
- Jansen, B., see J.P. Warners (1–3) 251–282
- Katona, G.Y., Edge disjoint Polyp Packing (1–3) 133–152
- Kim, S.-R. and F.S. Roberts, Competition numbers of graphs with a small number of triangles (1–3) 153–162
- Koh, K.M. and E.G. Tay, Optimal orientations of products of paths and cycles (1–3) 163–174
- Koulamas, C., see G.J. Kyparisis (1–3) 175–187
- Kyparisis, G.J. and C. Koulamas, Open shop scheduling with maximal machines (1–3) 175–187
- Leung, J.Y.-T., see K.I.-J. Ho (1–3) 117–132
- Li, W.N., Two-Segmented channel routing is strong NP-complete (1–3) 291–298
- Liu, Y., see K.A. Berman (1–3) 27–40
- Maheshwari, A., see S.R. Arikati (1–3) 1–16
- Müller, H., Recognizing interval diagrams and interval bigraphs in polynomial time (1–3) 189–205
- Natu, M. and S.-C. Fang, The point-to-point connection problem – analysis and algorithms (1–3) 207–226
- Roberts, F.S., see S.-R. Kim (1–3) 153–162
- Roos, C., see J.P. Warners (1–3) 251–282
- Savage, C.D., see T.M. Barnes (1–3) 17–26

Shibata, Y., see T. Hasunuma	(1-3)	103-116
Storchi, G., see P. Hansen	(1-3)	89-102
Tay, E.G., see K.M. Koh	(1-3)	163-174
Taylor, J.G., Book Announcements	(1-3)	299-302
Terlaky, T., see J.P. Warners	(1-3)	251-282
van Stengel, B. and R. Werchner, Complexity of searching an immobile hider in a graph	(1-3)	235-249
Vovor, T., see P. Hansen	(1-3)	89-102
Warners, J.P., T. Terlaky, C. Roos and B. Jansen, A potential reduction approach to the frequency assignment problem	(1-3)	251-282
Wei, W-D., see K.I-J. Ho	(1-3)	117-132
Werchner, R., see B. von Stengel	(1-3)	235-249
Wu, W., see D.-Z. Du	(1-3)	51- 60
Yan, J.-H., G.J. Chang, S.M. Hedetniemi and S.T. Hedetniemi, k -Path partitions in trees	(1-3)	227-233
Zaragozà, M., see J. Fàbrega	(1-3)	61- 74
Zaroliagis, C.D., see S.R. Arikati	(1-3)	1- 16

